

	VLOER & PLAFOND		DUCT (INBOUW)		
	Vloer	Plafond	Mini Duct	Slim Duct	MSP Duct
	AGYG-09/12/14 KVCA	ABYG-18/22 KRTA	ARXG-07/09/12/14/18 KSLAP	ARXG-07/09/12/14/18 KLLAP	ARXG-22KMLB
					
	●	●	●	●	●
	○	●	●	○	○
	○	●	●	○	○
	●				
	●	○	○	○	○
	●	○			
	●	●	●	●	●
	●	●	○	○	
	●	●	●	●	●
	●	●	●	●	●
		●			●
		○		○	○
					●
	○	●	●	○	○
	●	○	○	○	○
	●	○	○	○	○
	●	●	●		
	●	●	●	●	●
	○	○	○		
	○	●	●	○	○
	○	○	○	○	○
	●				
	●				
	●				○
	○		○	○	○
		○	●	●	○

●: Standaard ○: Optioneel

COMBINEERBARE BINNEN- EN BUITENUNITS

Buitenunit	Type		Multi-2		Multi-3		Multi-4	Multi-5
	Typenummer		AOYG-14KBT2	AOYG-18KBT2	AOYG-18KBT3	AOYG-24KBT3	AOYG-30KBT4	AOYG-36KBT5
								
	Verm. (kW)	Koelen	4,0	5,0	5,4	6,8	8,0	9,5
		Verw.	4,4	5,6	6,8	8,0	9,6	10,6
Binnenunit	BTU	kW klasse						
 ASYG-07/09/12/14KGTE  ASYG-07/09/12/14KETEW  ASYG-07/09/12/14KETES  ASYG-07/09/12/14KMCE  ASEH-07/09/12/14KMCGB	7,000	2,0	●	●	●	●	●	●
	9,000	2,5	●	●	●	●	●	●
	12,000	3,5	●	●	●	●	●	●
	14,000	4,0	-	●	●	●	●	●
 ASYG-18/22/24KMTE	18,000	5,0	-	-	-	●	●	●
	22,000	6,0	-	-	-	-	●	●
	24,000	7,0	-	-	-	-	●	●
 AGYG-09/12/14KVCA	9,000	2,5	●	●	●	●	●	●
	12,000	3,5	●	●	●	●	●	●
	14,000	4,0	-	●	●	●	●	●
 AUXG-07/09/12/14KVLA	7,000	2,0	●	●	●	●	●	●
	9,000	2,5	●	●	●	●	●	●
	12,000	3,5	●	●	●	●	●	●
	14,000	4,0	-	●	●	●	●	●
	18,000	5,0	-	-	-	●	●	●
	22,000	6,0	-	-	-	-	●	●
 ARXG-07/09/12/14KSLAP	7,000	2,0	●	●	●	●	●	●
	9,000	2,5	●	●	●	●	●	●
	12,000	3,5	●	●	●	●	●	●
	14,000	4,0	-	●	●	●	●	●
 ARXG-18KSLAP	18,000	5,0	-	-	-	●	●	●
 ARXG-07/09/12/14KLLAP  ARYG-22KMLB	7,000	2,0	●	●	●	●	●	●
	9,000	2,5	●	●	●	●	●	●
	12,000	3,5	●	●	●	●	●	●
	14,000	4,0	-	●	●	●	●	●
	18,000	5,0	-	-	-	●	●	●
	22,000	6,0	-	-	-	-	●	●
 ABYG-18/22KRTA	18,000	5,0	-	-	-	●	●	●
	22,000	6,0	-	-	-	-	●	●



Mini duct (KSL serie)

Type				ARXG-07KSLAP	ARXG-09KSLAP	ARXG-12KSLAP	ARXG-14KSLAP	ARXG-18KSLAP
kW klasse		kW		2,0	2,5	3,5	4,0	5,0
Voeding				Single-phase, ~230V, 50Hz				
Geluidsdruk	Koeling	H/M/L/Q	dB(A)	29/26/24/23	29/26/24/23	31/27/25/23	35/30/27/23	33/29/26/23
	Verwarm.			29/26/24/23	29/26/24/23	31/27/25/23	35/30/27/23	33/29/26/23
Geluidsniveau	Koeling	H	dB(A)	52	54	55	60	58
	Verwarm.			53	56	57	62	59
Luchthoeveelh.	Koeling	H/M/L/Q	m³/h	550/440/390/360	600/450/400/360	650/490/430/360	800/640/530/360	940/750/540/480
	Verwarm.			550/440/390/360	600/450/400/360	650/490/430/360	800/640/530/360	940/750/540/480
Afmetingen				mm	198x700x450	198x700x450	198x700x450	198x900x450
Gewicht				kg	15,5	15,5	15,5	18,5
Koelleiding diameter		Vloeistof/Gas		inch	1/4 - 3/8	1/4 - 3/8	1/4 - 3/8	1/4 - 1/2
Ext. statische druk				Pa	0 - 30	0 - 30	0 - 50	0 - 50
Condenspomp				Standard				



Slim duct (KLL serie)

Type				ARXG-07KLLAP	ARXG-09KLLAP	ARXG-12KLLAP	ARXG-14KLLAP	ARXG-18KLLAP
kW klasse		kW		2,0	2,5	3,5	4,0	5,0
Voeding				Single-phase, ~230V, 50Hz				
Geluidsdruk	Koeling	H/M/L/Q	dB(A)	28/26/25/24	28/27/26/25	29/28/27/26	32/30/28/26	32/30/29/27
	Verwarm.			28/26/25/24	28/26/25/24	29/28/27/24	32/30/28/25	32/30/29/27
Geluidsniveau	Koeling	H	dB(A)	57	57	58	60	58
	Verwarm.			57	57	58	60	58
Luchthoeveelh.	Koeling	H/M/L/Q	m³/h	550/490/470/440	600/550/500/450	650/600/550/480	800/700/600/480	940/880/820/750
	Verwarm.			550/490/470/440	600/550/500/450	650/600/550/480	800/700/600/480	940/880/820/750
Afmetingen			mm	198x700x620	198x700x620	198x700x620	198x700x620	198x900x620
Gewicht			kg	16	17	17	17	20
Koelleiding diameter		Vloeistof/Gas	inch	1/4 - 3/8	1/4 - 3/8	1/4 - 3/8	1/4 - 3/8	1/4 - 1/2
Ext. statische druk			Pa	0 - 90	0 - 90	0 - 90	0 - 90	0 - 90
Condenspomp				Standard				



MSP duct (KML serie)

Type				ARXG-22KMLB	
kW klasse			kW	6,0	
Voeding				Single-phase, ~230V, 50Hz	
Geluidsdruk	Koeling	H/M/L/Q	dB(A)	31/29/27/25	
	Verwarm.			31/29/27/25	
Geluidsniveau	Koeling	H	dB(A)	60	
	Verwarm.			62	
Luchthoeveelh.	Koeling	H/M/L/Q	m³/h	1,100/910/750/580	
	Verwarm.			1,100/910/750/580	
Afmetingen			mm	270x1,135x700	
Gewicht			kg	35	
Koelleiding diameter		Vloeis-f/Gas		inch	1/4 - 1/2
Ext. statische druk			Pa	30 - 150	
Condenspomp				Standard	



Plafond (KRT serie)

Type				ABYG-18KRTA	ABYG-22KRTA
kW klasse			kW	5,0	6,0
Voeding				Single-phase, ~230V, 50Hz	
Geluidsdruk	Koeling	H/M/L/Q	dB(A)	38/36/33/31	42/37/34/31
	Verwarm.			38/36/33/31	42/37/34/31
Geluidsniveau	Koeling	H	dB(A)	53	57
	Verwarm.			53	57
Luchthoeveelh.	Koeling	H/M/L/Q	m³/h	840/790/710/650	900/790/710/650
	Verwarm.			840/790/710/650	900/790/710/650
Afmetingen			mm	235x1,080x705	235x1,080x705
Gewicht			kg	24	24
Koelleiding diameter		Vloeistof/Gas		inch	1/4 - 1/2

BINNENUNITS										BUITENUNIT 1F
INBOUW					MULTISPLIT					
	Slim Duct	MSP Duct(Compact & Comfort)	MSP Duct(Standard)	HS Duct	Big Duct	Hoog aan de wand	Compacte Cassette	Mini Duct	Slim Duct	5 Rooms Multisplit
	ARXG- 09/12/14/18 KLLAP	ARXG- 12/14/18/22/24/ 30/36/45/54 KHTAP	ARXG-22KMLB, ARXG- 24/30/36/45 KMLA	ARXG- 45/54KHTB		ASYG- 22KMTB	AUXG- 07KVLA	ARXG- 07/09/12/14/18 KSLAP	ARXG- 07KLLAP	AOYG-36KBTA5
					ARYG- 72/90LHTA					
● UTY-RNRVZ5				● UTY-RNRVZ5	● UTY-RNRVZ5	● UTY-RNRVZ5+ UTY-TWRXZ2	● UTY-RNRVZ5			
● UTY-RVRY				● UTY-RVRY	● UTY-RVRY	● UTY-RVRY	● UTY-RVRY			
● UTY-RLRY				● UTY-RLRY	● UTY-RLRY	● UTY-RLRY+ UTY-TWRXZ2	● UTY-RLRY			
● UTY-RCRYZ1				● UTY-RCRYZ1	● UTY-RCRYZ1	● UTY-RCRYZ1+ UTY-TWRXZ2	● UTY-RCRYZ1			
● UTY-RSRY, UTY-RHRY					● UTY-RSRY, UTY-RHRY	● UTY-RSRY, UTY-RHRY+ UTY-TWRXZ2	● UTY-RSRY, UTY-RHRY			
							● UTY-LNTY			
					● UTY-LRHYM					
● UTY-LBTYM					● UTY-LBTYM			● UTY-LBTYM	● UTY-LBTYM	

* Raadpleeg uw dealer voor de voorwaarden.

	INBOUW					VLOER	PLAFOND	MULTI-SPLIT			
	Slim Duct	Medium Static Pressure (Compact & Comfort)	Medium Static Pressure (Standard)	HS Duct	Big Duct			Hoog aan de wand	Compacte Cassette	Mini Duct	Slim Duct
	ARXG-09/12/14/18 KLLAP	ARXG-12/14/18/22/24/30/36/45/54 KHTAP	ARXG-22KMLB, ARXG-24/30/36/45 KMLA	ARXG-45/54KHTB		ACYG-09/12/14 KVCA	ABYG-18/22/24/30/36/45/54 KRTA	ASYG-22KMTE	AUXG-07KVLA	ARXG-07/09/12/14/18 KSLAP	ARXG-07KLLAP
					ARYG-72/90LHTA						
	● UTY-VMSX				● UTY-VMSX	● UTY-VMSX ²	● UTY-VMSX	● UTY-VMSX	● UTY-VMSX		
	● FG-AC-MBS1Z1				● FG-AC-MBS1Z1	● FG-AC-MBS1Z1			● FG-AC-MBS1Z1		
	● UTY-VKSX				● UTY-VKSX	● UTY-VKSX	● UTY-VKSX	● UTY-VKSX	● UTY-VKSX		
	● FG-AC-KNX1Z1				● FG-AC-KNX1Z1	● FG-AC-KNX1Z1			● FG-AC-KNX1Z1		
	● FG-IR-KNX1Z1+ UTY-LBTYM				● FG-IR-KNX1Z1+ UTY-LRHYM	● FG-IR-KNX1Z1	● FG-IR-KNX1Z1+ UTY-LBTYH	● FG-IR-KNX1Z1	● FG-IR-KNX1Z1+ UTY-LBTYM		
	● UTY-TFSXJ3				● UTY-TFSXJ3				● UTY-TFSXJ3		
								● UTY-TFSXHX3			
	● FG-AC-WIF1Z1				● FG-AC-WIF1Z1	● FG-AC-WIF1Z1			● FG-AC-WIF1Z1		
	● FG-IR-WIF1Z1+ UTY-LBTYM				● FG-IR-WIF1Z1+ UTY-LRHYM	● FG-IR-WIF1Z1	● FG-IR-WIF1Z1+ UTY-LBTYH	● FG-IR-WIF1Z1	● FG-IR-WIF1Z1+ UTY-LBTYM		
	● FG-AC-WMP1Z1				● FG-AC-WMP1Z1	● FG-AC-WMP1Z1			● FG-AC-WMP1Z1		
	● FG-IR-WMP1Z1+ UTY-LBTYM				● FG-IR-WMP1Z1+ UTY-LRHYM	● FG-IR-WMP1Z1	● FG-IR-WMP1Z1+ UTY-LBTYH	● FG-IR-WMP1Z1	● FG-IR-WMP1Z1+ UTY-LBTYM		
	● UTY-TERX					● UTY-TERX+ UTY-TWRXZ3	● UTY-TERX	● UTY-TERX+ UTY-TWRXZ2	● UTY-TERX		
	● UTY-VTGX UTY-VTGXV					● UTY-VTGX+ UTY-TWRXZ3 UTY-VTGXV+ UTY-TWRXZ3	● UTY-VTGX UTY-VTGXV	● UTY-VTGX+ UTY-TWRXZ2 or UTY-VTGXV+ UTY-TWRXZ2	● UTY-VTGX UTY-VTGXV		

Er zijn geen optionele onderdelen voor de KL-serie.
Type legende: IR = draadloos - AC = UART

	VLOER	PLAFOND	HOOG-AAN-DE-WAND	MULTI SPLIT		
				60/60 Cassette	Mini Duct	Slim Duct
	AGYG-09/12/14 KVCA	ABYG-18/22/24/30/ 36/45/54 KRTA	ASYG-07/09/12 KPCE	AUXG-07 KVLA	ARXG-07/09/12/14/18 KSLAP	ARXG-07 KLLAP
					● UTY-XSZXZ1	
				● UTG-UFYFW		
					● UTD-GXTAW (07/09/12/14), UTD-GXTBW (18)	
	● UTR-FA03-3		● UTD-FA-16-5	● UTD-HFAA	● UTD-HFTA UTD-HFTB	● UTD-HFTA
				● UTZ-VXAA		
				● UTR-YDZB		
		● UTP-FX24A (18/22/24) UTP-FX35A (30/36/45/54)				

	VLOER	PLAFOND	MULTI SPLIT BINNENUNITS				BUITENUNIT	
			HADW	Mini Duct	Slim Duct	Cassette 60/60	Single Split	
	AGYG-09/12/14 KVCA	ABYG-18/22/24/30/36/45/54KRTA	ASYG-22 KMTE	ARXG-07/09/12/14/18 KSLAP	ARXG-07 KLLAP	AUXG-07 KVLA	AOYG-30/36/45/54 KBTB, AOYG-36/45/54 KRTA	AOYG-72/90 LRLA
	● UTY- XWZXZ5	● PCB Terminal of ● UTY-XCSX + UTZ-GXEA	● UTY-XCSXZ2 + UTY-XWZXZ5	● PCB Terminal		● PCB Terminal		
	● UTY- XWZXZ5	● PCB Terminal	● UTY- XCSXZ2 + UTY- XWZXZ5	● PCB Terminal		● PCB Terminal		
	● UTY- XWZXZ5	● UTY-XCSX + UTZ-GXEA	● UTY- XCSXZ2 + UTY- XWZXZ5					
							● UTY- XWZXZ3	● UTY- XWZXZ3
							● UTY- XWZXZ3	● UTY- XWZXZ3
	● UTY- XWZXZ5	● UTY- XWZXZG of ○ UTY-XCSX + UTZ-GXEA	● UTY-XCSXZ2 + UTY- XWZXZ5	● UTY-XWZXZG		● UTY- XWZXZG		
	● UTY- XWZXZ5	● UTY- XWZXZG of ○ UTY-XCSX + UTZ-GXEA	● UTY-XCSXZ2 + UTY- XWZXZ5				● UTY- XWZXZ3	● UTY- XWZXZ3
							● UTY- XWZXZ3	● UTY- XWZXZ3
	● UTY- XWZXZ5	● UTY- XWZXZG of ○ UTY-XCSX + UTZ-GXEA	● UTY-XCSXZ2 + UTY-XWZXZ5	● UTY-XWZXZG		● UTY- XWZXZG		
		● UTY- XWZXZG of ○ UTY-XCSX + UTZ-GXEA		● UTY-XWZXZG				